

Dosing for Infants and Children

Infants' **TYLENOL**

Children's **TYLENOL**

From Your Healthcare Professional

DOSE: Every 4 hours as needed. DO NOT GIVE MORE THAN 5 DOSES IN 24 HOURS.

If possible, use weight to dose; otherwise use age.

mL = milliliter
tsp = teaspoon



Infants' TYLENOL® Oral Suspension

Active Ingredient:
Acetaminophen 160 mg
(in each 5 mL)

Available in:
 Grape
 Cherry

Use only as directed.



Children's TYLENOL® Oral Suspension

Active Ingredient:
Acetaminophen 160 mg
(in each 5 mL or 1 tsp)

Available in:
 Grape
 Cherry

Use only as directed.

| WEIGHT | AGE | Infants' TYLENOL® | Children's TYLENOL® |
|-----------|-----------|-------------------|---------------------|
| 6-11 lbs | 0-3 mos | 1.25 mL | — |
| 12-17 lbs | 4-11 mos | 2.5 mL | — |
| 18-23 lbs | 12-23 mos | 3.75 mL | — |
| 24-35 lbs | 2-3 yrs | 5 mL | 5 mL (1 tsp) |
| 36-47 lbs | 4-5 yrs | — | 7.5 mL (1½ tsp) |
| 48-59 lbs | 6-8 yrs | — | 10 mL (2 tsp) |
| 60-71 lbs | 9-10 yrs | — | 12.5 mL (2½ tsp) |
| 72-95 lbs | 11 yrs | — | 15 mL (3 tsp) |

IMPORTANT INSTRUCTIONS for Proper Use

Today's Date: _____

This dosing recommendation from your doctor will expire in 14 DAYS.

- Read and follow the label on all TYLENOL® products.
- Take every 4 hours as needed. Do NOT exceed more than 5 doses in 24 hours.
- Do NOT use with any other product containing acetaminophen.
- Use only the dosing device that comes with a specific product.
- **All Infants' TYLENOL® and Children's TYLENOL® Oral Suspension products have the same acetaminophen concentration (160 mg/5 mL).**